

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	290	"KANEKO, MASATO".in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/19 17:24
L2	11	1 and (lubricant or lubricat\$4) and oil and sulfonate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/19 17:24
L3	15129	"IDEMITSU KOSAN CO".as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/19 17:25
L4	158	3 and (lubricant or lubricat\$4) and oil and sulfonate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/19 17:26
L5	160	2 or 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/19 17:26
L6	92	5 and (calcium or ca)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/19 17:26
L7	79	6 and viscosity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/19 17:26

L8	79	7 and oil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/19 17:27
L9	853	(508/184,268,269,271,272,279,280,281,296).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/19 18:09
L10	244	9 and (lubricant or lubricat\$4) and oil and sulfonate	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:10
L11	196	10 and (calcium or ca)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:10
L12	185	11 and viscosity	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:12
L13	143	12 and @ad<"20040331"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:12
L14	59	13 and (benxotriazole or thiadiazole)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:14
L15	12	14 and barium adj sulfonate	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:14
L16	0	15 and sizing	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:18
L17	0	13 and sizing	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:19
L18	7	9 and sizing	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:19
L19	122	"508".clas. and sizing	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:19
L20	34	19 and @ad<"20040331"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/19 18:19
L21	5	20 and (lubricant or lubricat\$4) and oil and sulfonate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/19 18:20

8/19/2008 6:24:24 PM

C:\ Documents and Settings\ toladapo\ My Documents\ EAST\ Workspaces\ lubricating oil composition for sizing pressing
10585637.wsp